

### Current Date 03Apr2018

### 325G COMPACT TRACK LOADER

## Equipment for Base Machine

### Engine:

4 Cylinder Turbo-Charged Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm V-Plenum Engine and Hydraulic cooling package Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Auto Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel filter 20 Gallon (76 L) Fuel Tank

Final Drive System and Undercarriage: 1-speed transmission Servo Axial Piston Hydrostatic Pumps Radial Piston Hydrostatic Motors High Drive Planetary Reduction Gear Box Grease Cylinder Track Tensioner Patented Smooth Ride Undercarriage 2 duel flanged idlers & 5 triple flanged rollers Heavy Duty 12.6 in (320 mm) Rubber Tracks Spring applied, hydraulically released wet-disk park brake Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

### Electrical:

12-Volt Electrical Battery
750 cca w/150 minute
reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front
and 1 Rear
Programmable courtesy
lighting shutoff system

### Hydraulics:

3-Spool Open Center Valve System Pressure 3450 psi 5 Micron Hydraulic Filter John Deere Boom & Bucket Cylinders w/Cushioned Boom

Connect-under-pressure auxiliary hydraulic couplers Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system

Hydraulic Pump Flow 18 gpm (68 L/m) Travel Speed-Low 6.2 mph (10 km/h)Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)Boom Breakout Force 5,250 lbs. (2,384 kg) Tractive Effort - 8,500 lbf (3,859 kgf)Width without Attachment 71.8 in. (1.82 m) Length without Attachment 112 in. (2.85 m) Height to Top of ROPS 80.6 in. (2.05 m) Height to Hinge Pin 125.5 in. (3.19 m)Machine Operating Weight 9,440 lbs. (4,286)

Operator Protection/Comfort: FOPS / ROPS Roll-Guard with Side Screens In-Cab Boom Lockout System Adjustable Interlocking Operator Presence Lap Bar System Retractable Seat Belt Rearview mirror Back-up Alarm Horn Deluxe Headliner 12V power port Cell Phone cargo net storage

Interior Dome Lighting Cup Holder Itrigal Grab Handles for Easy Entry / Exit Top and Rear Windows Water Shedding Deluxe Gauges and Instruments:

Key start ignition & electronic rotary throttle

Fuel Gauge

Engine Coolant Temperature

Operator Selectable LCD Digital Readout: Hourmeter **Enaine RPM** Battery Voltage

Auxiliary Hydraulics Lock-out Seating

Override

Boom Float

Performance Characteristics:

Gross Horsepower 74 Hp

(54.8 Kw)

Rated Operating Capacity 2,590 lbs. (1,176 kg) Tipping Load 7,400 lbs.

(3,357 kg)

Convenient Tie Downs

Attachment Coupler:

John Deere patented Quik-Tatch system (no grease

required)

Warranty:

John Deere 1st Year full machine/Unlimited hours w/2nd year of Powertrain plus Hydraulics up to 2000

hours

## Required - You must select one from each category

# **BASE MACHINE**

F.O.B. Dubuque, Iowa

Description Code Price 325G COMPACT TRACK LOADER OODOT \$58,829.00

## **VALUE PACKAGES**

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

Description Code Price Standard Compact Track Loader 0800 In Base Price

Includes standard equipment

CANOPY PACKAGE WITH E-H (ISO PATTERN) JOYSTICKS 0846 (\$20.00)

Package includes:

EH (ISO Pattern) Joystick Controls (0950)

Single-Speed (1025)

Turbocharged Engine (1301)

English Operator's Manual & Decals (1501)

No JDLink (1741)

Narrow Zig-Zag Bar Track - 12.6 in. (2550)

Standard Hydraulics (3000)

2 in. Seat Belt (4000)

Manual Quik-Tatch (5000)

Canopy - ROPS / FOPS (5200) Standard Lighting Package (5500)

Mechanical Suspension Seat (Vinyl) (6001)

Standard Fan Drive (6500)

### Utility Package with E-H (ISO Pattern) Joysticks

0861

(\$596.00)

Package includes:

E-H (ISO Pattern) Joystick Controls (0950)

Two-Speed (1050)

Turbocharged Engine (1301)

English Operator's Manual & Decals (1501)

No JDLink (1741)

Wide Zig-Zag Bar Track - 15.8 in. (2645)

Standard Hydraulics and Hydraulic Self-Leveling Up (3001)

2-Inch Seat Belt (4000)

Power Quik-Tatch (5001)

Canopy - ROPS / FOPS (5200)

Standard Lighting Package (5500)

Vinyl, Air-Ride Seat (6003)

Standard Fan Drive (6500)

Foot Rest with Floormat (8380)

Keyless Start (Sealed Switch Module) (8395)

Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H

0871

(\$1,587.00)

Pattern Switchable) and Performance Package

Package includes:

ISO-H Switchable Controls and EH Joystick Performance Package (0953)

Two-Speed (1050)

Turbocharged Engine (1301)

English Operator's Manual & Decals (1501)

No JDLink (1741)

Wide Zig-Zag Bar Track - 15.8 in. (2645)

Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)

Deluxe Lighting Package (5550)

Air Suspension Seat (Cloth with Heat) (6006)

Reversing Fan Drive (6501)

Rear View Camera (8042)

Radio, AM/FM with Bluetooth (8342)

Foot Rest with Floormat (8380)

Keyless Start (Sealed Switch Module) (8395)

Utility Package with E-H (ISO Pattern) Joysticks

0867

(\$1,001.00)

Package includes:

E-H (ISO Pattern) Joystick Controls (0950)

Two-Speed (1050)

Turbocharged Engine (1301)

English Operator's Manual & Decals (1501)

No JDLink (1741)

Narrow Zig-Zag Bar Track - 12.6 in. (2550)

Standard Hydraulics and Hydraulic Self-Leveling Up (3001)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)

Standard Lighting Package (5500)

Air Suspension Seat (Cloth with Heat) (6006)

Standard Fan Drive (6500)

Radio, AM/FM with Bluetooth (8342)

Keyless Start (Sealed Switch Module) (8395)

IT4 Deluxe Cab Package with AC, Heat, Defrost, E-H (ISO or H Pattern Switchable) and Performance Package

0888

(\$1,558.00)

Package includes:

ISO-H Switchable Controls and EH Joystick Performance Package (0953)

Two-Speed (1050)

Turbocharged Engine (1310)

English Operator's Manual & Decals for Canada (1502)

No JDLink (1741)

Narrow Zig-Zag Bar Track - 12.6 in. (2550)

Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)

Deluxe Lighting Package (5550)

Air Suspension Seat (Cloth with Heat) (6006)

Standard Fan Drive (6500)

Rear View Camera (8042)

Cold Start Package (8050)

Chrome Exhaust (8225)

Radio, AM/FM with Bluetooth (8342)

Foot Rest with Floormat (8380)

Keyless Start (Sealed Switch Module) (8395)

78 in. HD Construction Bucket (19.4 cu. ft.) with Edge (9052)

IT4 Deluxe Cab Package with AC, Heat, Defrost, High Flow

v 0889

(\$1,822.00)

Price

\$2,678.00

Hydraulics, E-H (ISO or H Pattern Switchable) and

Performance P

Package includes:

ISO-H Switchable Controls and EH Joystick Performance Package (0953)

Two-Speed (1050)

Turbocharged Engine (1310)

English Operator's Manual & Decals for Canada (1502)

No JDLink (1741)

Narrow Zig-Zag Bar Track - 12.6 in. (2550)

High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control (3005)

3 in. Seat Belt with Shoulder Harness (4003)

Power Quik-Tatch (5001)

Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)

Deluxe Lighting Package (5550)

Air Suspension Seat (Cloth with Heat) (6006)

Reversing Fan Drive (6501)

Rear View Camera (8042)

Cold Start Package (8050)

Chrome Exhaust (8225)

Radio, AM/FM with Bluetooth (8342)

Foot Rest with Floormat (8380)

Keyless Start (Sealed Switch Module) (8395)

78 in. HD Construction Bucket (19.4 cu. ft.) with Edge (9052)

### ENGINE

Description Code
Engine - Turbocharged 1301

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission

standards.

Yamnar 4TNV98CT 3.3L

4 Cylinder Turbo-Charged

74 Gross hp (54.8 kW)

70 Net hp (52.5 kW)

### ENGINE FAN

Description Code Price
Standard Fan Drive 6500 In Base Price
Reversing Fan Drive 6501 \$830.00

#### CANOPY OR CAB

Description Code Price
Canopy - ROPS / FOPS 5200 In Base Price

	Cab Enclosure with Air-Conditioning, Heat a	nd Defrost 5204	\$4,473.00
	Glass Front Door w/ Wiper and Glass Slide Windows. R Belt with Shoulder Harness (4001) or 3-inch Seat Belt w Harness (4003).	equires 2-inch Seat vith Shoulder	
_	Cab Enclosure with Air-Conditioning, Heat, I Severe Duty Door	Defrost, and 5205	\$6,672.00
	Requires 2-inch Seat Belt with Shoulder Harness (4001) with Shoulder Harness (4003)	) or 3-inch Seat Belt	
_	SEAT		
	Description	Code	Price
	Mechanical Suspension Seat (Vinyl)	6001	In Base Price
-	Vinyl, Air-Ride Seat	6003	\$452.00
_	Air Suspension Seat (Cloth with Heat)	6006	\$625.00
	For use with Cab 5204.		
~	SEAT BELT		
	Description	Code	Price
	2-Inch Seat Belt	4000	
	For use with Canopy - ROPS / FOPS (5200).		
	2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
	For use with Cab Enclosure with Heat and Defrost and Heat, Defrost, and Air-Conditioning (5204)	Cab Enclosure with	
_	3-Inch Seat Belt with Shoulder Harness	4003	\$379.00
~	CONTROLS		
	Description	Code	Price
	E-H (ISO Pattern) Joystick Controls	0950	
_		0730	
	ISO-H Switchable Controls and EH Joystick I Package	Performance 0953	\$1,035.00
	Includes Switchable Controls between ISO Joystick Cor Joystick control modes.	ntrol or H-Pattern	
	Includes Switchable Accelerator/Decelerator with right s operating in ISO or H-Pattern Joystick Control mode.	ide foot pedal when	
	EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode		
	Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		
~	TRANSMISSION		
	Description	Code	Price
	Description SINGLE-SPEED	1025	
	SINGLE-SPEED	1025	III Dase PIICE

	TWO-SPEED	1050	\$2,033.00
HYDR	AULICS		
	Description	Code	Price
	Standard Hydraulics	3000	In Base Price
	Pump Flow = 19 gpm		
	Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
	Pump Flow = 19 gpm		
	Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control	3004	\$1,250.00
	Pump Flow = 19 gpm		
	High Flow Hydraulics	3002	\$1,830.00
	Pump Flow = 27 gpm		
	Includes 1/2 in Auxiliary coupler sizes.		
	High Flow Hydraulics, Hydraulic Self-Leveling, and Ride Control	3005	\$3,058.00
TRAC	K		
	Description	Code	Price
	Narrow	2500	In Base Price
	Offset Block Lug Rubber Tracks - 15.8 in. Gives 71.5 in. CTL width.		
	Narrow Zig-Zag Bar Track - 12.6 in.	2550	\$200.00
	Gives 71.5 in. CTL width.		
	Wide	2600	\$1,430.00
	Gives 74.7 in. CTL width.		
	Wide Zig-Zag Multi-Bar Tracks - 15.8 in. (400mm) Tracks	2645	\$1,630.00
	Gives 74.7 in. CTL width.		
	Gives 74.7 iii. GTE widii.		
OPER.	ATOR'S MANUAL AND DECALS		
OPER		Code	Price
OPER.	ATOR'S MANUAL AND DECALS	Code 1501	
OPER.	ATOR'S MANUAL AND DECALS  Description		
OPER.	ATOR'S MANUAL AND DECALS  Description  English Operator's Manual & Decals		No Charge
OPER	ATOR'S MANUAL AND DECALS  Description English Operator's Manual & Decals  For use with FT4 Engine	1501	Price No Charge No Charge

	e with FT4 Engine		
Engli	sh Operator's Manual & No Text Decals	1503	No Charge
	Canada e with IT4/Stage IIIB Engine		
Frenc	ch Operator's Manual & No Text Decals	1512	No Charg
	Canada e with IT4/Stage IIIB Engine		
Span	ish Operator's Manual & No Text Decals	1516	No Charg
	Canada e with IT4/Stage IIIB Engine		
LIGHTING			
Desc	ription	Code	Pric
Stand	dard Lighting Package	5500	In Base Pric
Include	es 2 front halogen work headlights and rear work light.		
Delux	re Lighting Package	5550	\$900.0
	es 2 additional CAB mounted side lights and LED light bulbs for all r machine lights.		
QUIK-TATCH			
Desc	ription	Code	Pric
Manu	al Quik-Tatch	5000	In Base Pric
Powe	r Quik-Tatch	5001	\$724.0
JDLINK			
Desc	ription	Code	Pric
1011	k Ultimate Cellular - 3 Years	170A	\$1,200.0
JULIN			
Include Wi-Fi d	es JDLink hardware: 4G LTE modular telematics gateway (MTG) with data transfer and Bluetooth circuitry, JDLink Ultimate activation, ited cab wiring harness and antenna.		
Include Wi-Fi o integra JDLink the co	data transfer and Bluetooth circuitry, JDLink Ultimate activation,		
Include Wi-Fi of integral JDLink the concuston Include years to accomplate Use of Custon terms agreer	data transfer and Bluetooth circuitry, JDLink Ultimate activation, atted cab wiring harness and antenna.  It utilizes cellular and satellite technology infrastructure that is outside a trol of John Deere. Changes to that infrastructure may require hers to purchase compatible JDLink hardware to restore functionality.  Ses a 3 year subscription. Annual subscription renewal required after 3 for continued functionality. JDLink customer account must be created less JDLink Ultimate data. Go to www.StellarSupport.com to renew or a JDLink subscriptions.  This service, and all rights and obligations of John Deere and the mer (as identified in the applicable agreement), are governed by the land conditions outlined in the applicable Services and Software ments available at www.JohnDeere.com/Agreements. If these terms and itions are not agreeable do not proceed and do not use the		

Opt •	ional - Select as desired  COLD START PACKAGES		
	Description	Code	Price
	Cold Start Package	8050	\$303.00
	Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics		
~	EXHAUST		
	Description	Code	Price
	Chrome Exhaust	8225	\$328.00
~	AIR PRE-CLEANER		
	Description	Code	Price
	Engine Air Precleaner	8060	\$455.00
~	RADIO		
	Description	Code	Price
	Radio, AM/FM with Bluetooth	8342	\$600.00
~	MIRRORS		
	Description	Code	Price
	Mirror (mount on boom)	8355	\$87.00
_	FLOOR MAT		
	Description	Code	Price
	Foot Rest with Floormat	8380	\$144.00
	For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).		
_	KEYLESS START		
	Description	Code	Price
	Keyless Start (Sealed Switch Module)	8395	\$399.00
	Includes: programmable machine security code system		
~	REAR CAMERA		
	Description	Code	Price
	Rear View Camera	8042	\$850.00
	Includes 5" LCD monitor.		
_	COUNTERWEIGHT		
	Description	Code	Price
	Counterweight, Stackable (Single Set)	8300	\$349.00

	Includes 2 - 86 lb weights (39 Kg)		
	Counterweight, Stackable (Second Set)	8305	\$349.00
	Includes 2 - 86 lb weights (39 Kg)		
	Counterweight, Stackable (Third Set)	8310	\$349.00
	Includes 2 - 86 lb weights (39 Kg) Requires Counterweight, Stackable (Second Set) (8305)		
EXP	ORT CODES		
De	escription Code		Price
BAT	TERIES		
	Description	Code	Price
	Battery, Heavy Duty, 925cca	8045	\$55.00
	Not for use with Cold Start Package (8050).		
WAR	RNING LIGHTS		
	Description	Code	Price
	Hazard Warning Lights	8075	\$159.00
GRII	LE		
	Description	Code	Price
	HD Rear Grille	8370	\$486.00
	Provides protection to cooling package.		
BUC	KETS		
	Description	Code	Price
	72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,030.00
	72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,231.00
	78 in. HD Construction Bucket (19.4 cu. ft.)	9051	\$1,149.00
	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	\$1,339.00
	72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	\$1,120.00
	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	\$1,370.00
	72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,231.00
	78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	\$1,353.00
	72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,065.00
	72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,252.00
	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	\$1,400.00

	78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	\$1,290.00
	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	\$1,565.00
	78 in. HD Utility Bucket (24.5 cu. ft.)	9330	\$1,138.00
	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	\$1,339.00
	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	\$1,600.00
RUST I	PROTECTION		
	Description	Code	Price
	Rust Preventative	9909	\$160.00
	Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention	n.	
DEALE	R-INSTALLED KITS		
	Description BUCKETS	Code	Price
	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,339.00
	78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,353.00
	78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,138.00
	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,339.00
	<u>Buckets</u>		
	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	\$1,400.00
	72 IN. GRADING HEEL BUCKET (16.8 cu. ft.)	BYT10086	\$1,120.00
	72 IN. GRADING HEEL BUCKET (16.8 cu. ft.) WITH TEETH	BYT10151	\$1,370.00
	72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,030.00
	72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,231.00
	72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$956.00
	72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,231.00
			<b>* * * * * * * * *</b>
	72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,065.00
	72 in. Utility Bucket (22.6 cu. ft.)  72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV21474 KV24756	\$1,065.00 \$1,252.00

78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	\$1,290.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	\$1,565.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,149.00
Kits & Accessories		
Boom Mounted Hose Guide Kit	AT436025	\$102.00
[E-series] [G-series: 320G - 333G]		
Kits and Accessories		
12 Volt Demonstration Kit	KV21995	\$314.00
3-pin connector		
Attachment Control	BYT10647	\$685.00
Backhoe Attachment Mounting Kit	BYT10313	\$282.00
Beacon Warning Light	BYT10048	\$320.00
Block Heater Kit	AT427686	\$112.00
Bobcat Attachment Harness Adapter Kit	BYT10661	\$344.00
Must have the 14 pin attachment connector already installed.		
Boom Mounted Mirrors	BYT10168	\$75.00
Counterweight, Stackable (Single Set)	AT348835	\$356.00
Includes 2 - 86 lb weights (39 Kg)		
Deluxe Light Package	BYT10648	\$900.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		
EH Joystick Performance Package	BYT10454	\$593.00
Engine Air Pre-Cleaner Kit	AT425357	\$457.00
Field Kit, Reversing Fan	BYT10356	\$834.00
Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).		
Fluid Sampling Field Kit	BYT10641	\$155.00
Foot Throttle Removal Kit	AT374642	\$52.00
HD Rear Grille	BYT10058	\$593.00
Provides protection to cooling package.		
Hazard Warning Lights	AT431921	\$127.00

	Hydraulic Quick Coupler Adapter Kit	AT428072	\$325.00
	Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
	Joystick Pod Mounted Throttle	AT419446	\$152.00
	Radio Field Kit	BYT10062	\$510.00
-	Radio, AM/FM with Aux Input and Bluetooth	BYT10042	\$575.00
	Streaming Bluetooth, no Hands-Free.		
	Rear View Camera	BYT10651	\$850.00
	Includes 5" LCD monitor.		
	Remote Control Field Kit	BYT10646	\$16,000.00
	SMV Sign	BYT10680	\$77.00
	SSM	BYT10650	\$179.00
	Severe Duty Door	BYT10645	\$3,076.00
	Severe Duty Door	BYT10226	\$3,076.00
	Severe Duty Door Hardware Kit	BYT10085	\$170.00
_	Single Point Support Kit	BYT10843	\$2,824.00
_	Standard Door	BYT10227	\$1,030.00
	<u>Miscellaneous</u>		
	72 in. Bolt-On Cutting Edge	T32742	View Price
_	Operator Environment		
	Trim Elbow Pad Field Kit	AT417600	\$28.00
	Tooth Bars		
	72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00
	72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00
	REFERRAL ATTACHMENTS		
	Description	Code	Price
	<u>G.R.Mfg.</u>		
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
	Auxiliary Hydraulic Line Quick Coupler	AT437326	\$180.00
-			

Bottom Covers & Reinforcement Plates	BYT10945	\$346.00
Bucket Cylinder Rod Guard	BYT10947	\$376.00
Bumper, Rear w/o Deflectors	BYT10943	\$1,356.00
Guard, Cab Roof Debris	BYT10263	\$121.00
Level II FOPS Plate	AT445276	\$602.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		
Lift Cylinder Hose Guards	BYT10948	\$380.00
Light Guard Kit	BYT10946	\$248.00
Protection Package	BYT10942	\$4,414.00
Screens, Sides and Rear	BYT10944	\$710.00
Toe Guard and Door Upgrade Kit	AT372950	\$492.00
Required to meet ISO 8084 Forestry Applications		

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |